



Avalanche bulletin Bavaria

Tuesday 10 December 2024


Published 9 Dec 2024, 17:00:00
Valid from 9 Dec 2024, 17:00:00 until 10 Dec 2024, 17:00:00




Little snow in the Bsvarian Alps



Danger Level 2 - Moderate



Wind slab



Snowdrifts often prone to triggering

Danger assessment

Avalanche danger above 1800m is moderate, danger is low below that altitude. Fresh and older snowdrifts are the major problem, these can trigger a small-to-medium sized slab avalanche by minimum additional loading in some places. They are blanketed by just a bit of fresh snow, making them hard to recognize. Danger zones occur near to ridgelines, in all aspects and in wind-loaded gullies and bowls. Frequency of avalanche prone locations tends to increase with ascending altitudes.

Snowpack

Northeasterly winds will transport the snow on Monday over small areas. Fresh, trigger-sensitive snowdrifts will be generated. Also in the older snowdrifts generated by westerly winds, isolated layers which are prone to triggering are evident. The older drifts are now blanketed and difficult to recognize. At high altitudes in the Allgäu Alps, in addition, there is a layer of faceted, expansively metamorphosed crystals beneath a melt-freeze crust. The old snowpack at high altitudes shows marked effects from wind and is highly irregular. All in all, there is still little snow on the ground.

Tendency

Avalanche danger levels are expected to recede.

Danger Level 1 - Low



Wind slab



Fresh, small-sized snowdrift accumulations

Danger assessment

Avalanche danger is low, small drifts can trigger small sized slab avalanches above the treeline by minimum additional loading, e.g. the weight of one single skier. Danger zones occur particularly near ridgelines on south and west-facing slopes and in wind-loaded gullies and bowls. The risks of being forced to take a fall outweigh those of being buried in snow masses.

Snowpack

Northeasterly winds will transport the snow on Monday over small areas. Fresh, trigger-sensitive snowdrifts will be generated. Older snowdrifts generated by westerly winds have now consolidated, are not expected to be trigger-sensitive. The old snowpack at high altitudes shows marked effects from wind and is highly irregular. All in all, there is still little snow on the ground.

Tendency

The snowdrift problem is receding as weather conditions improve, it will swiftly diminish.