

Final Avalanche Bulletin of the season



Dachsteingebiet, Totes Gebirge, Schladminger Tauern, Nördliche Wölzer Tauern, Südliche Wölzer Tauern, Rottenmanner Tauern, Seckauer Tauern, Ennstaler Alpen, Eisenerzer Alpen, Hochschwabgebiet, Mürzsteger Alpen, Gurktaler Alpen, Koralpe, Stub- und Glinalpe, Seetaler Alpen




Avalanche problems



New snow



Wind drifted snow




Persistent weak layer



Wet snow




Gliding snow



No problem

Danger ratings



1

low



2

moderate



3

considerabl
e



4

high




5

very high



Expositions




Letzter Lawinenbericht - Saisonende!




Dachsteingebiet, Totes Gebirge, Schladminger Tauern, Nördliche Wölzer Tauern, Südliche Wölzer Tauern, Rottenmanner Tauern, Seckauer Tauern, Ennstaler Alpen, Eisenerzer Alpen, Hochschwabgebiet, Mürztegger Alpen, Gurktaler Alpen, Koralpe, Stub- und Gleinalpe, Seetaler Alpen




Avalanche problems



Danger ratings





Expositions



01.05.2021 through 03.05.2021, morning

Dachsteingebiet, Totes Gebirge, Schladminger Tauern, Nördliche Wölzer Tauern, Südliche Wölzer Tauern, Rottenmanner Tauern, Seckauer Tauern, Ennstaler Alpen, Eisenerzer Alpen, Hochschwabgebiet, Mürzsteger Alpen, Gurktaler Alpen, Koralpe, Stub- und Gleinalpe, Seetaler Alpen



Wet-snow problem. Fresh snowdrifts generating on the weekend.

On Saturday, avalanche danger is subject to a daytime danger cycle. In early morning, low danger prevails; at midday, moderate danger. At intermediate altitudes, naturally triggered wet slides are possible due to the temperatures. In the Northern Alps, wet loose-snow slides are possible in rocky and rough terrain due to solar radiation.

On Sunday and Monday, a snowdrift situation will prevail at high altitude. At intermediate altitudes the wet-snow threat will remain upright.

Snowpack structure

As a result of solar radiation, the snowpack softens up varying quickly depending on altitude and aspect. The snowpack at intermediate altitudes is moist-to-wet.

In the summit zones there are isolated weak layers evident which could provoke slab avalanches. The slopes at intermediate altitudes are rapidly becoming bare of snow.

The fresh snow on the weekend will not bond adequately with the old snowpack surface.

Weather

Saturday will bring quite sunny weather. In the course of the afternoon, convective cloud build-up will increase, intermittent showers could result. Winds will be southwesterly at 30-60 km/hr. Temperature at 2000 m: 8 degrees.


Sunday: instable weather conditions in the mountains. In the Northern Alps, cloud cover will dominate right from the start, intermittent rainfall/snowfall is expected. Strong NW winds will make the snowfall level descend to below 1500 m. Further to the south, extended bright periods in the morning, with winds at the Koralpe blowing at storm-strength from southwesterly directions. Temperature descending from +5 to -3 degrees.

Much cooler and more variable on Monday. Frequent rainfall in the early part of the day. Snowfall above 1000 m.

Outlook

On Sunday, freshly generated snowdrift accumulations require attentiveness. Avalanche danger will rise to moderate at high altitude.

Avalanche problems



Danger ratings




Expositions



01.05.2021 through 03.05.2021, afternoon

Dachsteingebiet, Totes Gebirge, Schladminger Tauern, Nördliche Wölzer Tauern, Südliche Wölzer Tauern, Rottenmanner Tauern, Seckauer Tauern, Ennstaler Alpen, Eisenerzer Alpen, Hochschwabgebiet, Mürzsteger Alpen, Gurktaler Alpen, Koralpe, Stub- und Gleinalpe, Seetaler Alpen



Wet-snow problem. Fresh snowdrifts generating on the weekend.

On Saturday, avalanche danger is subject to a daytime danger cycle. In early morning, low danger prevails; at midday, moderate danger. At intermediate altitudes, naturally triggered wet slides are possible due to the temperatures. In the Northern Alps, wet loose-snow slides are possible in rocky and rough terrain due to solar radiation.

On Sunday and Monday, a snowdrift situation will prevail at high altitude. At intermediate altitudes the wet-snow threat will remain upright.

Snowpack structure

As a result of solar radiation, the snowpack softens up varying quickly depending on altitude and aspect. The snowpack at intermediate altitudes is moist-to-wet.

In the summit zones there are isolated weak layers evident which could provoke slab avalanches. The slopes at intermediate altitudes are rapidly becoming bare of snow.

The fresh snow on the weekend will not bond adequately with the old snowpack surface.

Weather

Saturday will bring quite sunny weather. In the course of the afternoon, convective cloud build-up will increase, intermittent showers could result. Winds will be southwesterly at 30-60 km/hr. Temperature at 2000 m: 8 degrees.


Sunday: instable weather conditions in the mountains. In the Northern Alps, cloud cover will dominate right from the start, intermittent rainfall/snowfall is expected. Strong NW winds will make the snowfall level descend to below 1500 m. Further to the south, extended bright periods in the morning, with winds at the Koralpe blowing at storm-strength from southwesterly directions. Temperature descending from +5 to -3 degrees.

Much cooler and more variable on Monday. Frequent rainfall in the early part of the day. Snowfall above 1000 m.


Outlook

On Sunday, freshly generated snowdrift accumulations require attentiveness. Avalanche danger will rise to moderate at high altitude.


Avalanche problems



Danger ratings



Expositions



Avalanche problems



New snow



Wind drifted
snow



Persistent
weak layer



Wet snow



Gliding
snow



No problem

Danger ratings



1

low



2

moderate



3

considerabl
e



4

high



5

very high

Expositions

