

No significant change in avalanche danger. Temperatures dropping at high altitudes.




Mürztaler Alpen, Seckauer Tauern, Südliche Wölzer Tauern, Schladminger Tauern Süd, Schladminger Tauern Nord, Dachsteingebiet, Totes Gebirge, Nördliche Wölzer Tauern, Rottenmanner Tauern, Ennstaler Alpen, Eisenerzer Alpen, Hochschwabgebiet, Mürzsteger Alpen




Östliche Fischbacher Alpen und Wechselgebiet, Westliche Fischbacher Alpen und Grazer Bergland, Stub- und Gleinalpe, Koralpe, Seetaler Alpen, Gurktaler Alpen



Avalanche problems



Danger ratings





Expositions



21.03.2022

Mürztaler Alpen, Seckauer Tauern, Südliche Wölzer Tauern, Schladminger Tauern Süd, Schladminger Tauern Nord, Dachsteingebiet, Totes Gebirge, Nördliche Wölzer Tauern, Rottenmanner Tauern, Ennstaler Alpen, Eisenerzer Alpen, Hochschwabgebiet, Mürzsteger Alpen



Low avalanche danger, favorable backcountry touring conditions

Avalanche danger in Styria is low. In backcountry terrain, old snowdrift accumulations on east-facing slopes require caution above 2200m, naturally triggered releases of slab avalanches cannot be ruled out. Wet slides and glide-snow avalanches are possible during the afternoon. A slight daytime danger cycle needs to be heeded.

Snowpack structure

Due to dropping temperatures the snowpack surface is regaining firmness at high altitude. The snowpack is hardened, often icy. At intermediate altitude the snow is wet and often rotten.

Weather

On Monday, radiantly sunny weather will continue, with outstanding visibility. Onyl light to moderate SE winds at 20-40 km/hr. Somewhat warmer. At 2000 m: +1 degree on the Dachstein, -3 degrees on the Koralm.

On Tuesday, it will remain sunny and mild.

Outlook

A slight daytime danger cycle is anticipated.

Avalanche problems



Danger ratings





Expositions



21.03.2022

**Östliche Fischbacher Alpen und Wechselgebiet,
Westliche Fischbacher Alpen und Grazer Bergland,
Stub- und Gleinalpe, Koralpe, Seetaler Alpen,
Gurktaler Alpen**



Favorable backcountry conditions persist, no significant change in the avalanche situation

Isolated danger zones on north-facing slopes, where the persistent weak layer (more deeply embedded weak layer) prevails. On shady, extremely steep slopes, triggering a slab cannot be ruled out. Glide-snow avalanche activity is increasing.

Snowpack structure

The snowpack is stable. Due to minor rainfall the snowpack surface is moist down to intermediate altitudes. The base is still stable. On extremely steep shady slopes above 2200 m, weak layers of faceted crystals are making the snowpack layering vulnerable.

Weather

On Monday the radiantly sunny weather will continue, with outstanding visibility. Only light to moderate SE winds.

Windspeeds maximum 20-40 km/hr. Somewhat warmer. At 2000 m: -1 degree on the Dachstein, -3 degrees on the Koralpe.


On Tuesday, sunny and mild.

Outlook

No significant change in avalanche danger is anticipated. Slight daytime danger cycle is expected.

Translated by Jeffrey McCabe, www.creativtrans.com

Avalanche problems



Danger ratings



Expositions

