



# 23.03.2022, morning



## Springtime conditions, including daytime rise in avalanche danger




Totes Gebirge, Dachsteingebiet, Schladminger Tauern Nord, Nördliche Wölzer Tauern, Rottenmanner Tauern, Ennstaler Alpen, Hochschwabgebiet, Mürtzsteger Alpen, Mürtztaler Alpen, Eisenerzer Alpen, Seckauer Tauern, Südliche Wölzer Tauern, Schladminger Tauern Süd




Gurktaler Alpen, Seetaler Alpen, Westliche Fischbacher Alpen und Grazer Bergland, Östliche Fischbacher Alpen und Wechselgebiet, Stub- und Gleinalpe, Korralpe




### Avalanche problems




### Danger ratings







### Expositions




# 23.03.2022, afternoon




## Frühjahrsbedingungen mit tageszeitlichem Anstieg der Lawinengefahr!

	<p>Totes Gebirge, Dachsteingebiet, Schladminger Tauern Nord, Nördliche Wölzer Tauern, Rottenmanner Tauern, Ennstaler Alpen, Hochschwabgebiet, Mürtzsteiger Alpen, Mürtztaler Alpen, Eisenerzer Alpen, Seckauer Tauern, Südliche Wölzer Tauern, Schladminger Tauern Süd</p>	
	<p>Gurktaler Alpen, Seetaler Alpen, Westliche Fischbacher Alpen und Grazer Bergland, Östliche Fischbacher Alpen und Wechselgebiet, Stub- und Gleinalpe, Koralpe</p>	


### Avalanche problems



### Danger ratings




### Expositions



# 23.03.2022, morning

**Totes Gebirge, Dachsteingebiet, Schladminger Tauern Nord, Nördliche Wölzer Tauern, Rottenmanner Tauern, Ennstaler Alpen, Hochschwabgebiet, Mürzsteger Alpen, Mürztaler Alpen, Eisenerzer Alpen, Seckauer Tauern, Südliche Wölzer Tauern, Schladminger Tauern Süd**



daytime danger cycle of naturally triggered avalanches



in extremely steep terrain, at any time of day or night

## Springtime conditions. Favorable backcountry conditions with daytime rise in danger

Avalanche danger in the morning is **low**, then rises to **moderate** as the snowpack loses its firmness. On sun-drenched steep slopes in some steep spots, naturally or skier-triggered wet-snow avalanches are then possible.

Gliding snow movements are on the increase. On very steep grass-covered slopes, isolated glide-snow avalanches are possible at any time of day or night, and become more likely as the time of day progresses. Glide cracks should be seen as signs of danger.

### Snowpack structure

Due to low nighttime temperatures, the snowpack can regain its firmness and form a melt-freeze crust, it is then hard and icy. During the course of the day, the snowpack on sunny slopes softens, becomes moist, at intermediate and low altitudes the snow is wet and often rotten over widespread areas. On steep north-facing slopes at high altitudes there is still a shallow, loose layer of snow.

### Weather

Springtime weather, mild temperatures, brilliant sunshine, outstanding visibility. At midday at 2000 m: +4 degrees (zero-degree level above 2500m). Winds are southerly, blowing at light to moderate strength, will slowly shift to westerly during the daytime. In the afternoon, isolated harmless convective clouds will form.


### Outlook

On Thursday, ongoingly sunny and mild. No significant change in avalanche danger expected.

#### Avalanche problems



#### Danger ratings





#### Expositions




# 23.03.2022, afternoon

Totes Gebirge, Dachsteingebiet, Schladminger Tauern Nord, Nördliche Wölzer Tauern, Rottenanner Tauern, Ennstaler Alpen, Hochschwabgebiet, Mürzsteger Alpen, Mürztaler Alpen, Eisenerzer Alpen, Seckauer Tauern, Südliche Wölzer Tauern, Schladminger Tauern Süd



 daytime danger cycle of naturally triggered avalanches

 in extremely steep terrain, at any time of day or night

## Springtime conditions. Favorable backcountry conditions with daytime rise in danger

Avalanche danger in the morning is **low**, then rises to **moderate** as the snowpack loses its firmness. On sun-drenched steep slopes in some steep spots, naturally or skier-triggered wet-snow avalanches are then possible.

Gliding snow movements are on the increase. On very steep grass-covered slopes, isolated glide-snow avalanches are possible at any time of day or night, and become more likely as the time of day progresses. Glide cracks should be seen as signs of danger.

### Snowpack structure

Due to low nighttime temperatures, the snowpack can regain its firmness and form a melt-freeze crust, it is then hard and icy. During the course of the day, the snowpack on sunny slopes softens, becomes moist, at intermediate and low altitudes the snow is wet and often rotten over widespread areas. On steep north-facing slopes at high altitudes there is still a shallow, loose layer of snow.


### Weather

Springtime weather, mild temperatures, brilliant sunshine, outstanding visibility. At midday at 2000 m: +4 degrees (zero-degree level above 2500m). Winds are southerly, blowing at light to moderate strength, will slowly shift to westerly during the daytime. In the afternoon, isolated harmless convective clouds will form.


### Outlook

On Thursday, ongoingly sunny and mild. No significant change in avalanche danger expected.

#### Avalanche problems



#### Danger ratings




#### Expositions



**Gurktaler Alpen, Seetaler Alpen, Westliche Fischbacher Alpen und Grazer Bergland, Östliche Fischbacher Alpen und Wechselgebiet, Stub- und Glainalpe, Koralmpe**



possible at any time of day or night



## Low avalanche danger, springtime weather

Avalanche danger is **low**. On very steep grass-covered slopes, isolated glide-snow avalanches are possible at any time of day or night, and become more likely as the time of day progresses. Glide cracks should be seen as signs of danger.

### Snowpack structure

In early morning the snowpack is melt-freeze encrusted, hard, icy. During the course of the day, the snowpack on sunny slopes softens, becomes moist. Low altitudes and south-facing slopes are already bare of snow up to high altitudes.

### Weather


Springtime weather, mild temperatures, brilliant sunshine, outstanding visibility. At midday at 2000 m: +4 degrees (zero-degree level above 2500m). Winds are southerly, blowing at light to moderate strength, will slowly shift to westerly during the daytime. In the afternoon, isolated harmless convective clouds will form.

### Outlook


On Thursday, ongoingly sunny and mild. No significant change in avalanche danger expected.

Translated by Jeffrey McCabe, [www.creativtrans.com](http://www.creativtrans.com)

#### Avalanche problems



#### Danger ratings



#### Expositions

