





Snowpack becoming wetter, slopes becoming bare of snow, possible rain showers

- | | | |
|---|---|---|
|  | Dachsteingebiet, Totes Gebirge, Schladminger Tauern Nord, Südliche Wölzer Tauern, Schladminger Tauern Süd, Nördliche Wölzer Tauern, Rottenmanner Tauern, Seckauer Tauern, Eisenerzer Alpen, Hochschwabgebiet, Mürzsteger Alpen, Mürztaler Alpen |  |
|  | Gurktaler Alpen, Seetaler Alpen, Stub- und Gleinalpe, Westliche Fischbacher Alpen und Grazer Bergland, Östliche Fischbacher Alpen und Wechselgebiet, Korralpe |  |

Avalanche problems




Danger ratings







Expositions




25.03.2022, afternoon



Weitere Durchfeuchtung und Ausaperung durch Einstrahlung und mögliche Regenschauer

| | | |
|---|---|---|
|  | <p>Dachsteingebiet, Totes Gebirge, Schladminger Tauern Nord, Südliche Wölzer Tauern, Schladminger Tauern Süd, Nördliche Wölzer Tauern, Ennstaler Alpen, Rottenmanner Tauern, Seckauer Tauern, Eisenerzer Alpen, Hochschwabgebiet, Mürzsteger Alpen, Mürztaler Alpen</p> |  |
|  | <p>Gurktaler Alpen, Seetaler Alpen, Stub- und Gleinalpe, Westliche Fischbacher Alpen und Grazer Bergland, Östliche Fischbacher Alpen und Wechselgebiet, Koralpe</p> |  |

Avalanche problems



Danger ratings



Expositions



25.03.2022, morning


Dachsteingebiet, Totes Gebirge, Schladminger Tauern Nord, Südliche Wölzer Tauern, Schladminger Tauern Süd, Nördliche Wölzer Tauern, Ennstaler Alpen, Rottenmanner Tauern, Seckauer Tauern, Eisenerzer Alpen, Hochschwabgebiet, Mürzsteger Alpen, Mürztaler Alpen



daytime cycle of naturally triggered avalanches, plus rainfall



in extremely steep terrain



Wet-snow situation worsening due to solar radiation and possible rain showers

Favorable conditions still reign in the morning. Avalanche danger will increase through possible rain showers during the day from LOW to MODERATE. In steep terrain in all aspects, increasingly frequent naturally triggered wet loose-snow avalanches can release. On steep high-altitude slopes, triggerings are possible through large additional loading.

Glide-snow avalanches in steep grass-covered terrain are possible at any time of day or night. Heed glide cracks and fishbones!

Snowpack structure

The snowpack in early morning is melt-freeze encrusted, then softens and moistens very quickly on sunny slopes in particular. On shady slopes the snowpack is hard and icy only at high altitudes. Due to rainfall the process of the snowpack becoming wet continues, which destabilizes it in all aspects.


Weather

Friday will begin with sunshine, then convective cloud build-up is expected during the day. In Niedere Tauern and Turrach-to-Pack, minor rain showers cannot be ruled out. Temperatures can drop slightly. At midday at 2000 m: +3 degrees. Light northerly winds.


Outlook

Hardly any change in weather and avalanche conditions is expected.

Avalanche problems



Danger ratings



Expositions



25.03.2022, afternoon


Dachsteingebiet, Totes Gebirge, Schladminger Tauern Nord, Südliche Wölzer Tauern, Schladminger Tauern Süd, Nördliche Wölzer Tauern, Ennstaler Alpen, Rottenmanner Tauern, Seckauer Tauern, Eisenerzer Alpen, Hochschwabgebiet, Mürzsteger Alpen, Mürztaler Alpen



daytime cycle of naturally triggered avalanches, plus rainfall



in extremely steep terrain



Wet-snow situation worsening due to solar radiation and possible rain showers

Favorable conditions still reign in the morning. Avalanche danger will increase through possible rain showers during the day from LOW to MODERATE. In steep terrain in all aspects, increasingly frequent naturally triggered wet loose-snow avalanches can release. On steep high-altitude slopes, triggerings are possible through large additional loading.

Glide-snow avalanches in steep grass-covered terrain are possible at any time of day or night. Heed glide cracks and fishbones!

Snowpack structure

The snowpack in early morning is melt-freeze encrusted, then softens and moistens very quickly on sunny slopes in particular. On shady slopes the snowpack is hard and icy only at high altitudes. Due to rainfall the process of the snowpack becoming wet continues, which destabilizes it in all aspects.


Weather

Friday will begin with sunshine, then convective cloud build-up is expected during the day. In Niedere Tauern and Turrach-to-Pack, minor rain showers cannot be ruled out. Temperatures can drop slightly. At midday at 2000 m: +3 degrees. Light northerly winds.


Outlook

Hardly any change in weather and avalanche conditions is expected.

Avalanche problems



Danger ratings



Expositions




Gurktaler Alpen, Seetaler Alpen, Stub- und Gleinalpe, Westliche Fischbacher Alpen und Grazer Bergland, Östliche Fischbacher Alpen und Wechselgebiet, Koralpe



as rainfall sets in



in extremely steep terrain



Favorable touring conditions, slight daytime danger cycle of naturally triggered releases

Avalanche danger is LOW, but naturally triggered wet loose-snow avalanches become likelier during the course of the day in steep terrain. Avoid glide cracks and fishbones!

Snowpack structure

The snowpack becomes soft and moist swiftly. Low altitudes and south-facing slopes are bare of snow up to high altitudes, the rainfall will amplify this process.

Weather

Friday will begin with sunshine, then convective cloud build-up is expected during the day. In Niedere Tauern and Turrach-to-Pack, minor rain showers cannot be ruled out. Temperatures can drop slightly. At midday at 2000 m: +3 degrees. Light northerly winds.

Outlook

Hardly any change in weather and avalanche conditions is expected.

Translated by Jeffrey McCabe, www.creativtrans.com

Avalanche problems



Danger ratings



Expositions

