





In northern barrier cloud regions 20-30 cm of fresh snow + wind

- | | | |
|---|---|---|
|  | <p>Südliche Wölzer Tauern, Schladminger Tauern Süd, Seckauer Tauern, Gurktaler Alpen, Seetaler Alpen, Stub- und Gleinalpe, Korralpe</p> |  |
|  | <p>timberline
Eisenerzer Alpen, Hochschwabgebiet, Mürzsteger Alpen, Ennstaler Alpen, Rottenmann Tauern, Nördliche Wölzer Tauern, Schladminger Tauern Nord, Dachsteingebiet, Totes Gebirge</p> |  |

Avalanche problems



Danger ratings





Expositions



20.04.2022

Südliche Wölzer Tauern, Schladminger Tauern Süd, Seckauer Tauern, Gurktaler Alpen, Seetaler Alpen, Stub- und Gleinalpe, Koralpe



Low avalanche danger

Avalanche danger is low, but shallow snowdrift accumulations require alertness at high altitudes, in isolated cases they can trigger a slab avalanche. Such avalanche prone locations are found in high-altitude ridgeline transitions. Isolated loose-snow avalanches are possible.

Snowpack structure

At high altitudes, 5-10 cm of fresh snow has been registered. The snow was deposited atop a hard old snowpack at high altitudes. Due to wind impact, snowdrift patches can be generated.

Weather


Wednesday will begin predominantly sunny and dry. During the daytime, some cloudbanks will pass through, but it will remain dry, the peaks free. At 2000 m: -4 degrees; in Niedere Tauern in the afternoon just below zero. Winds will mostly be light.

Thursday will begin with sunshine widespread, and good visibility. Starting at midday, high-altitude and later intermediate-altitude clouds will move in from the south, but it will remain dry. Winds will be moderate to brisk from the south. It will be milder.

Outlook

No significant change in avalanche danger is anticipated.


Avalanche problems



Danger ratings






Expositions



20.04.2022

Eisenerzer Alpen, Hochschwabgebiet, Mürzsteger Alpen, Ennstaler Alpen, Rottenmanner Tauern, Nördliche Wölzer Tauern, Schladminger Tauern Nord, Dachsteingebiet, Totes Gebirge



Fresh snowdrifts

Avalanche danger in the northern barrier cloud regions is moderate above the treeline. The fresh snowdrifts require attentiveness, in places they can trigger a slab by large additional loading. Danger zones are found behind protruberances at high altitudes, near ridges and in general on leeward slopes in N/E/W aspects. Due to solar radiation, naturally triggered loose-snow avalanches can be expected on sunny slopes.

Snowpack structure

In the northern barrier cloud regions 10-25 cm of fresh snow has been registered, with the focus in the Hochschwab region. Due to wind impact and fresh snow, new snowdrifts were generated which in places are prone to triggering. These drifts were deposited atop a moist and generally melt-freeze encrusted old snowpack surface.

Weather

Wednesday will begin predominantly sunny and dry. During the daytime, some cloudbanks will pass through, but it will remain dry, the peaks free. At 2000 m: -4 degrees; in Niedere Tauern in the afternoon just below zero. Winds will mostly be light.


Thursday will begin with sunshine widespread, and good visibility. Starting at midday, high-altitude and later intermediate-altitude clouds will move in from the south, but it will remain dry. Winds will be moderate to brisk from the south. It will be milder.

Outlook

The fresh snow will settle rapidly due to warmth.

Translated by Jeffrey McCabe, www.creativtrans.com

Avalanche problems



Danger ratings



Expositions

