


# Avalanche report for Wednesday, 05.04.2023



## Wintery cold. Fresh snowdrifts at high altitudes



2000 m  
Totes Gebirge, Dachsteingebiet, Ennstaler Alpen, Rottenmanner Tauern, Nördliche Wölzer Tauern, Schladminger Tauern Nord, Hochschwabgebiet



Östliche Fischbacher Alpen und Wechselgebiet, Stub- und Glinalpe, Koralpe, Mürztaler Alpen, Westliche Fischbacher Alpen und Grazer Bergland, Seetaler Alpen, Eisenerzer Alpen, Seckauer Tauern, Gurktaler Alpen, Mürzsteger Alpen, Südliche Wölzer Tauern, Schladminger Tauern Süd



### Avalanche problems



### Danger ratings





### Expositions



# Avalanche report for **Wednesday, 05.04.2023**

**Totes Gebirge, Dachsteingebiet, Ennstaler Alpen, Rottenmanner Tauern, Nördliche Wölzer Tauern, Schladminger Tauern Nord, Hochschwabgebiet**



## Moderate avalanche danger - Fresh snowdrifts at high altitudes

Avalanche danger above 2000m is moderate, at lower altitudes danger is low. Main danger stems from freshly generated snowdrifts at high altitudes on extremely steep E/S facing slopes in entry zones, where low additional loading by one sole person can trigger a slab avalanche. Most releases remain small.

### Snowpack structure

Stormy northerly winds continue to transport the cold snow, deposit drifts behind abrupt drops in the terrain. Bonding is mostly good, also there are weak layers inside the fresh fallen snow. The fundament is thoroughly wet up to at least 2200m.

### Weather


On Wednesday residual clouds on the northern flank of the Alps will disperse swiftly, the day will become sunny. Convective cloud build-up is expected during the daytime, but no precipitation is expected. At 2000 m: -8 degrees. The N/NE winds will be moderate.

On Thursday, cloudless skies to start with. Then clouds will move in. Winds will shift to NW, blow at moderate strength.

### Outlook

No significant change in avalanche danger levels is expected.

#### Avalanche problems



#### Danger ratings



#### Expositions



# Avalanche report for Wednesday, 05.04.2023

Östliche Fischbacher Alpen und Wechselgebiet, Stub- und Gleinalpe, Koralpe, Mürztaler Alpen, Westliche Fischbacher Alpen und Grazer Bergland, Seetaler Alpen, Eisenerzer Alpen, Seckauer Tauern, Gurktaler Alpen, Mürzsteiger Alpen, Südliche Wölzer Tauern, Schladminger Tauern Süd



thin, small snowdrift accumulations

## Low avalanche danger, but caution urged towards high-altitude snowdrift patches

Avalanche danger is low. nevertheless isolated danger zones in the form of freshly generated small snowdrift accumulations occur at high altitudes. Particularly on east and south-facing slopes in extremely steep terrain and entry zones, a slab avalanche cannot be ruled out.

### Snowpack structure

Stormy northerly winds continue to transport the cold snow, deposit drifts behind abrupt drops in the terrain. Bonding is mostly good, also there are weak layers inside the fresh fallen snow. The fundament is thoroughly wet up to at least 2200m.

### Weather

On Wednesday residual clouds on the northern flank of the Alps will disperse swiftly, the day will become sunny. Convective cloud build-up is expected during the daytime, but no precipitation is expected. At 2000 m: -8 degrees. The N/NE winds will be moderate.

On Thursday, cloudless skies to start with. Then clouds will move in. Winds will shift to NW, blow at moderate strength.

### Outlook

No significant change in avalanche danger levels is expected.

Translated by Jeffrey McCabe, [www.creativtrans.com](http://www.creativtrans.com)

#### Avalanche problems



#### Danger ratings



#### Expositions

