



Predominantly favorable conditions, with daytime cycle of avalanche danger



Bregenzwaldgebirge, Allgäuer Alpen, Lechquellengebirge, Lechtaler Alpen, Verwall, Rätikon Ost, Silvretta, Rätikon West



Avalanche problems




Danger ratings



Expositions







überwiegend günstige Verhältnisse mit tageszeitlichem Anstieg der Lawinengefahr




Bregenzerwaldgebirge, Allgäuer Alpen, Lechquellengebirge, Lechtaler Alpen, Verwall, Rätikon Ost, Silvretta, Rätikon West




Avalanche problems



Danger ratings



Expositions




Bregenzerwaldgebirge, Allgäuer Alpen, Lechquellengebirge, Lechtaler Alpen, Verwall, Rätikon Ost, Silvretta, Rätikon West



increase of naturally triggered avalanches, esp. on steep sun-drenched slopes, due to radiation, warmth



possible at any time of day or night



Snowpack softens, danger rises, due to solar radiation, warmth

In early morning low avalanche danger prevails for a short time. Due to warmth and solar radiation, the danger of wet-snow and glide-snow avalanches rises to moderate as of late morning, particularly on steep sun-drenched slopes where there is no wind impact. Naturally triggered medium, some large-sized wet-snow and glide-snow avalanches are possible during the course of the day, especially on steep sunny slopes below 2600m. Zones below glide cracks in the surface should be avoided. Wet-snow avalanches can be triggered by one sole skier and reach medium size. Backcountry tours should start early, end early.

Snowpack structure

Following a night of mostly cloudless skies and good outgoing longwave radiation, the snowpack was able to stabilize and form a melt-freeze crust capable of bearing loads. Below the crust, however, the snowpack is thoroughly wet and even the base is often wet up to high altitudes. On very steep slopes this furthers the gliding movement of the entire snowpack. During the day the snowpack softens with varying rapidity depending on gradient and aspect, further losing firmness.


Weather

Brilliant sunshine, cloudless skies. Temperature at 2000 m: -6 to -1 degree. Light to moderate SE winds.


Outlook

No significant change is expected. Following nights of clear skies, avalanche danger will increase as a result of solar radiation and daytime warming.

Avalanche problems



Danger ratings



Expositions




Bregenzerwaldgebirge, Allgäuer Alpen, Lechquellengebirge, Lechtaler Alpen, Verwall, Rätikon Ost, Silvretta, Rätikon West



increase of naturally triggered avalanches, esp. on steep sun-drenched slopes, due to radiation, warmth



possible at any time of day or night



Snowpack softens, danger rises, due to solar radiation, warmth

In early morning low avalanche danger prevails for a short time. Due to warmth and solar radiation, the danger of wet-snow and glide-snow avalanches rises to moderate as of late morning, particularly on steep sun-drenched slopes where there is no wind impact. Naturally triggered medium, some large-sized wet-snow and glide-snow avalanches are possible during the course of the day, especially on steep sunny slopes below 2600m. Zones below glide cracks in the surface should be avoided. Wet-snow avalanches can be triggered by one sole skier and reach medium size. Backcountry tours should start early, end early.

Snowpack structure

Following a night of mostly cloudless skies and good outgoing longwave radiation, the snowpack was able to stabilize and form a melt-freeze crust capable of bearing loads. Below the crust, however, the snowpack is thoroughly wet and even the base is often wet up to high altitudes. On very steep slopes this furthers the gliding movement of the entire snowpack. During the day the snowpack softens with varying rapidity depending on gradient and aspect, further losing firmness.

Weather


Brilliant sunshine, cloudless skies. Temperature at 2000 m: -6 to -1 degree. Light to moderate SE winds.

Outlook


No significant change is expected. Following nights of clear skies, avalanche danger will increase as a result of solar radiation and daytime warming.

Translated by Jeffrey McCabe, www.creativtrans.com

Avalanche problems



Danger ratings



Expositions

